

MATERIAL SAFETY DATA SHEET - USA

1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: Nicole Nail Lacquer

PRODUCT CODE: NI 00*

DESCRIPTION: Nail Lacquer

INTENDED USES: Nail Coating


MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA

DATE: 6/11/98

TELEPHONE No. (818) 759-2400

FAX No. (818) 759-5770 REVISED DATE: 9/16/03

2. COMPOSITION

INGREDIENTS	CONTENTS	CAS	
Butyl Acetate	30%	123-86-4	 <p>0 = MINIMAL, 1 = SLIGHT, 2 = MODERATE, 3 = SERIOUS, 4 = SEVERE</p>
Toluene	20%	108-88-3	
Nitrocellulose	15%	9004-70-0	
Ethyl Acetate	15%	141-78-6	
Toluenesulfonamide/Formaldehyde Resin (Tosylamide/Formaldehyde Resin)	12.5%	1338-51-8	
Dibutyl Phthalate	2%	84-74-2	
Isopropyl Alcohol	2%	67-63-0	
Stearalkonium Hectorite	1.6%	94891-33-5	
Camphor	1%	76-22-2	
Benzophenone-1	0.5%	131-56-6	
[+/- Polyethylene Terephthalate, Silica	0.4%	25038-59-9, 12001-26-2, 7429-90-5, 73-40-5,	
Mica, CI 77000, CI 77510, CI 75170, CI 77891, CI 19140, CI 77489, CI 77491, CI 77499, CI 15880, CI 77520, CI 15850, CI 77163, CI 733606		13463-67-7, 1934-21-0, 1345-25-1, 1317-61-9, 417-83-0, 5281-04-9, 93923-95-6, 7787-59-9, 14038-43-8, 1934-21-0, 1309-37-1, 2379-74-0, 58-81-1, 7631-86-9	

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.

PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash clothing before re-use.

PRODUCT INGESTED: Do not induce vomiting. Seek medical attention.

PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.

IN ALL THE ABOVE CASES, SEEK MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.

FIRE AND EXPLOSION DATA: FLASH POINT: 24 deg. F.

AUTO IGNITION: N/D

EXPLOSION LIMITS (VOLUME % IN AIR): N/D

LOWER: UPPER:

EXPLOSION HAZARDS: When heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.

Special Procedures: Wear self-contained breathing apparatus & protective fire fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate area & evacuate. Remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material pick up is complete.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:

UNSUITABLE: Low density polyethylene class

SUITABLE: Mild steel, glass bottles

STORAGE PRECAUTIONS: Store closed in the original container. Store in cool dry place.

HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

Nicole Nail Lacquer

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash facility & security showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous pH: N/A BOILING POINT: 171 to 640 deg F. VISCOSITY: >1200 cps.
ODOR: Ester (fruity) odor BULK DENSITY: 0.9998-1.0008 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury. May cause ocular damage.

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use immediately.

BY INGESTION: Gastro-intestinal distress. Consult physician.

BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Butyl Acetate	150
Toluene	200
Nitrocellulose	N/E
Ethyl Acetate	400
Toluene Sulfonamide/Formaldehyde Resin	N/E
Dibutyl Phthalate	6mg/m ³
Isopropyl Alcohol	400
Camphor	2

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. Do not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: UN 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol.

SAFETY PHRASE: Keep away from heat or flame.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA


1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: Rapidry Top Coat
DESCRIPTION: Nail Lacquer
MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA
TELEPHONE No. (818) 759-2400

PRODUCT CODE: NTT74, NTT75
INTENDED USES: Nail Coating
DATE: 8/11/98
FAX No. (818) 759-5770
REVISED DATE: 9/16/03

2. COMPOSITION

INGREDIENTS	CONTENTS	CAS
Ethyl Acetate	30%	141-78-6
Isopropyl Alcohol	25%	67-63-0
Cellulose Acetate Butyrate	12%	9004-60-4
Butyl Acetate	9.5%	123-86-4
Propyl Acetate	5%	109-60-4
Heptane	5%	142-82-5
Acrylates Copolymer	4.5%	25035-69-2
Sucrose Benzoate	3%	127-38-646
Triphenyl Phosphate	3%	115-86-6
Nitrocellulose	1%	9004-70-0
Etocrylene	0.5%	5232-99-5
Tosylamide/Epoxy Resin	0.5%	130353-62-7
Dibutyl Phthalate	0.5%	84-74-2
Camphor	0.49%	76-22-2
CI 60725 (D&C Violet #2)	0.01%	4480-13-6



0 = MINIMAL,
1 = SLIGHT,
2 = MODERATE,
3 = SERIOUS,
4 = SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.
PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash clothing before re-use.
PRODUCT INGESTED: Do not induce vomiting. Seek medical attention.
PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.
IN ALL THE ABOVE CASES, SEEK MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.
FIRE AND EXPLOSION DATA: FLASH POINT: 24 deg. F. AUTO IGNITION: N/D
EXPLOSION LIMITS (VOLUME % IN AIR): N/D LOWER: UPPER:
EXPLOSION HAZARDS: When heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.
Special Procedures: Wear self-contained breathing apparatus & protective fire fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate & evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material pick-up is complete. Prevent wash-up from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:
UNSUITABLE: Low density polyethylene class **SUITABLE:** Mild steel, glass bottles
STORAGE PRECAUTIONS: Store closed in the original container. Store in cool dry place.
HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask and avoid breathing vapors.

Rapidry Top Coat

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash facility, and safety showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous pH: N/A BOILING POINT: N/A VISCOSITY: >1200 cps.
ODOR: Ester (fruity) odor BULK DENSITY: 0.9998-1.0008 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury.

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.

BY INGESTION: Gastro-intestinal distress. Consult physician.

BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Ethyl Acetate	150 ppm
Isopropyl Alcohol	400 ppm
Butyl Acetate	400 ppm
Propyl Acetate	200 ppm
Heptane	400 ppm
Dibutyl Phthalate	5mg/m ³
Camphor	2 ppm
Nitrocellulose	N/A

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. So not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol

SAFETY PHRASE: Keep away from heat or flame.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.


MATERIAL SAFETY DATA SHEET - USA

1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: Start to Finish Fomaldehyde Free PRODUCT CODE: NTT71, NTT67
DESCRIPTION: Viscous Liquid INTENDED USES: Nail Coating/Treatment
MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA DATE: 5/19/91
TELEPHONE No. (818) 759-2400 FAX No. (818) 759-5770 REVISED DATE: 9/16/03

2. COMPOSITION

INGREDIENTS	CONTENTS	CAS
Ethyl Acetate	35%	141-78-6
Butyl Acetate	30%	123-86-4
SD Alcohol 40B (Alcohol, Denatured)	12.5%	64-17-5
Propyl Acetate	8.0%	109-60-4
Heptane	5.0%	142-82-5
Nitrocellulose	4.0%	9004-70-0
Isopropyl Alcohol	2.0%	67-63-0
Tosylamide/Epoxy Resin	2.0%	130353-62-7
Dibutyl Phthalate	1.0%	84-74-2
Polyvinyl Butyral	0.2%	63148-65-2
Etocrylene	0.1%	5232-99-5
Glyoxal	0.09%	107-22-2
Camphor	0.05%	76-22-2
Keratin Amino Acids	0.04%	---
CI 60725 (D&C Violet #2)	0.02%	81-48-1



0 = MINIMAL,
1 = SLIGHT,
2 = MODERATE,
3 = SERIOUS,
4 = SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.

PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash clothing before re-use.

PRODUCT INGESTED: Do not induce vomiting. Seek medical attention.

PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.

In all the above cases Seek Medical Attention.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.

FIRE AND EXPLOSION DATA: FLASH POINT: 24deg. F AUTO IGNITION: N/D

EXPLOSION LIMITS (VOLUME % IN AIR): N/D LOWER: UPPER:

EXPLOSION HAZARDS: When Heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.

Special Procedures: Wear self-contained breathing apparatus & protective fire fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate & evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material pick-up is complete. Prevent wash-up from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:

UNSUITABLE: Low density polyethylene class SUITABLE: Mild steel, glass bottles

STORAGE PRECAUTIONS: Store closed in the original container. Store in cool dry place.

HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

Start to Finish Formaldehyde Free

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash facility & safety showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous pH: N/A BOILING POINT: N/A VISCOSITY: > 1200cps.
ODOR: Ester (fruity) odor BULK DENSITY: 0.9998-1.0008 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke.

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury.

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.

BY INGESTION: Gastro-intestinal distress. Consult physician.

BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Ethyl Acetate	400 ppm
Butyl Acetate	50 ppm
SD Alcohol 40B (Alcohol, Denatured)	1000 ppm
Propyl Acetate	200 ppm
Heptane	400 ppm
Nitrocellulose	N/A
Isopropyl Alcohol	400 ppm
Dibutyl Phthalate	5mg/m ³
Polyvinyl Butyral	10mg/m ³
Glyoxal	N/A
Camphor	2 ppm

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. Do not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame symbol

SAFETY PHRASE: Keep away from heat or flame. Keep out of reach of children.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA


1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: Heat Cure Top Coat
DESCRIPTION: Nail Lacquer
MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA
TELEPHONE No. (818) 759-2400

PRODUCT CODE: NTT91, NTT94, NTT96
INTENDED USES: Nail Coating
DATE: 6/11/98
FAX No. (818) 759-5770 REVISED DATE: 9/16/03

2. COMPOSITION

<u>INGREDIENTS</u>	<u>CONTENTS</u>	<u>CAS</u>
Ethyl Acetate	26%	141-78-6
Butyl Acetate	17%	123-86-4
Cellulose Acetate Butyrate	15%	9004-36-8
Isopropyl Alcohol	12.5%	67-63-0
Tosylamide/Epoxy Resin	11%	25035-71-6
Dibutyl Phthalate	10%	84-74-2
Ethyl Methacrylate	4.5%	97-63-2
Ethylene Glycol Dimethacrylate	3.3%	97-90-5
Benzoyl Peroxide	0.5%	94-36-0
Camphor	0.2%	76-22-2



0 = MINIMAL,
1 = SLIGHT,
2 = MODERATE,
3 = SERIOUS,
4 = SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.
PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash clothing before re-use.
PRODUCT INGESTED: Do not induce vomiting. Seek medical attention.
PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.
IN ALL THE ABOVE CASES, SEEK MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.
FIRE AND EXPLOSION DATA: FLASH POINT: 24 deg. F. AUTO IGNITION: N/D
EXPLOSION LIMITS (VOLUME % IN AIR): N/D LOWER: UPPER:
EXPLOSION HAZARDS: When heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.
Special Procedures: Wear self-contained breathing apparatus & protective fire fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate & evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material pick-up is complete. Prevent wash-up from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:
UNSUITABLE: Low density polyethylene class **SUITABLE:** Mild steel, glass bottles
STORAGE PRECAUTIONS: Store closed in the original container. Store in a cool dry place.
HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

Heat Cure Top Coat

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash facility, and safety showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous pH: N/A BOILING POINT: 171 to 640 deg F. VISCOSITY: >1200 cps.
ODOR: Ester (fruity) odor BULK DENSITY: 0.9998-1.0008 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.

BY INGESTION: Gastro-intestinal distress. Seek medical attention.

BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Ethyl Acetate	400
Butyl Acetate	150
Isopropyl Alcohol	400
Dibutyl Phthalate	6mg/m ³
Ethyl methacrylate	25
Ethylene Glycol Dimethacrylate	N/E
Benzol Peroxide	5mg/m ³
Camphor	2

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. Do not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol.

Not for retail or home use.

SAFETY PHRASE: Keep away from heat or flame.

Avoid skin contact due to sensitization potential.

discontinue use if sensitization or irritation occurs.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA

1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: OPI Nail Lacquer

PRODUCT CODE: NL00*

DESCRIPTION: Viscous Liquid

INTENDED USES: Nail Coating


MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA

DATE: 6/11/98

TELEPHONE No. (818) 759-2400

FAX No. (818) 759-5770 REVISED DATE: 9/16/03

2. COMPOSITION

<u>INGREDIENTS</u>	<u>CONTENTS</u>	<u>CAS</u>	
Butyl Acetate	31%	123-86-4	 <p>0 = MINIMAL, 1 = SLIGHT, 2 = MODERATE, 3 = SERIOUS, 4 = SEVERE</p>
Toluene	19%	108-88-3	
Nitrocellulose	16%	9004-70-0	
Ethyl Acetate	14%	141-78-6	
Toluenesulfonamide/Formaldehyde Resin (Tosylamide/Formaldehyde Resin)	12.5%	1338-51-8	
Dibutyl Phthalate	2%	84-74-2	
Isopropyl Alcohol	2%	67-63-0	
Stearalkonium Hectorite	1.6%	94891-33-5	
Camphor	1%	76-22-2	
Benzophenone-1	0.5%	131-56-6	
[+/- Polyethylene Terephthalate, Mica, CI 77000, CI 75170, CI 77891, CI 19140, CI 77489, CI 77491, CI 77499, CI 15880, CI 77520, CI 15850, CI 77163, CI 77000, CI 77489, CI 77163]	0.4%	25038-59-9, 12001-26-2, 7429-90-5, 73-40-5 13463-67-7, 1934-21-0, 1345-25-1, 1317-61-9 6417-83-0, 5281-04-9, 7787-59-9, 1309-37-1 25869-00-5, 5858-81-1	

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.

PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash contaminated clothing before re-use.

PRODUCT INGESTED: Do not induce vomiting. Seek medical attention.

PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.

IN ALL THE ABOVE CASES, SEEK MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.

FIRE AND EXPLOSION DATA: FLASH POINT: 24 deg. F. AUTO IGNITION: N/D

EXPLOSION LIMITS (VOLUME % IN AIR): N/D LOWER: UPPER:

EXPLOSION HAZARDS: When heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.

Special Procedures: Wear self-contained breathing apparatus & protective fire fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate and evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material pick-up is complete. Prevent washings from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:

UNSUITABLE: Low density polyethylene class

SUITABLE: Mild steel, glass bottles

STORAGE PRECAUTIONS: Store closed in the original container. Store in a cool dry place.

HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask and avoid breathing vapors.

OPI Nail Lacquer

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash, and safety showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous pH: N/A BOILING POINT: 171 to 640 deg F. VISCOSITY: >1200 cps.
ODOR: Ester (fruity) odor BULK DENSITY: 0.9998-1.0008 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury.

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.

BY INGESTION: Gastro-intestinal distress. Consult physician.

BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Butyl Acetate	150
Toluene	200
Nitrocellulose	N/E
Ethyl Acetate	400
Toluene Sulfonamide/Formaldehyde Resin	N/E
Dibutyl Phthalate	6mg/m ³
Isopropyl Alcohol	400
Camphor	2

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. So not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol

SAFETY PHRASE: Keep away from heat or flame.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA

1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: Start to Finish

PRODUCT CODE: NTT70, NTT65

DESCRIPTION: Viscous Liquid

INTENDED USES: Nail Coating / Treatment

MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA


DATE: 5/19/91

TELEPHONE No. (818) 759-2400

FAX No. (818) 759-5770 REVISED DATE: 9/16/03

2. COMPOSITION

INGREDIENTS	CONTENTS	CAS
Butyl Acetate	25%	123-86-4
Ethyl Acetate	15%	141-78-6
SD Alcohol 40B (Alcohol, Denatured)	15%	64-17-5
Nitrocellulose	14%	9004-70-0
Propyl Acetate	12.5%	109-60-4
Heptane	4.0%	142-82-5
Tosylamide/Epoxy Resin	3.5%	25035-71-6
Isopropyl Alcohol	2.6%	67-63-0
Dibutyl Phthalate	2.4%	84-74-2
Camphor	1.8%	76-22-2
Formaldehyde	1.6%	50-00-0
Etocrylene	1.2%	5232-99-5
Polyvinyl Butyral	0.9%	63148-65-2
CI 60725 (D&C Violet #2)	0.5%	81-48-1



0 = MINIMAL,
1 = SLIGHT,
2 = MODERATE,
3 = SERIOUS,
4 = SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.

PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash contaminated clothing before re-use.

PRODUCT INGESTED: Do not induce vomiting. Seek medical attention.

PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.

In all the above cases seek medical attention.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.

FIRE AND EXPLOSION DATA: FLASH POINT: 24 deg. F AUTO IGNITION: N/D

EXPLOSION LIMITS (VOLUME % IN AIR): N/D LOWER: UPPER:

EXPLOSION HAZARDS: When Heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.

Special Procedures: Wear self-contained breathing apparatus & protective fire fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate & evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material pick-up is complete. Prevent washings from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:

UNSUITABLE: Low density polyethylene class SUITABLE: Mild steel, glass bottles

STORAGE PRECAUTIONS: Store closed in the original container. Store in a cool dry place.

HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

Start to Finish

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash, & safety showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous pH: N/A BOILING POINT: N/A VISCOSITY: > 1200cps.
ODOR: Ester (fruity) odor BULK DENSITY: 0.9998-1.0008 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbondioxide, nitrous oxides, smoke.

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury.

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.

BY INGESTION: Gastro-intestinal distress. Consult physician.

BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Butyl Acetate	150 ppm
Ethyl Acetate	400 ppm
SD Alcohol 40B (Alcohol, Denatured)	1000 ppm
Nitrocellulose	N/D
Propyl Acetate	200 ppm
Heptane	400 ppm
Isopropyl Alcohol	400 ppm
Dibutyl Phthalate	5mg/m ³
Camphor	2 ppm
Formaldehyde	1ppm / 8 hrs
Polyvinyl Butyral	10mg/m ³

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. Do not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol

SAFETY PHRASE: Keep away from heat or flame. Keep out of reach of children. Protect cuticles with grease or oil. Contains formaldehyde.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA

1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: Original Nail Envy

PRODUCT CODE: NTT80, NTT84

DESCRIPTION: Viscous Liquid

INTENDED USES: Nail Coating / Treatment

MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA


DATE: 5/19/91

TELEPHONE No. (818) 759-2400

FAX No. (818) 759-5770 REVISED DATE: 9/16/03

2. COMPOSITION

INGREDIENTS	CONTENTS	CAS
Butyl Acetate	36%	123-86-4
Toluene	20%	108-88-3
Ethyl Acetate	15%	141-78-6
Nitrocellulose	9.2%	9004-70-0
Tosylamide/Formaldehyde Resin	8.9%	25035-71-6
Dibutyl Phthalate	3%	84-74-2
Acrylates Copolymer	3%	000-00-00
Isopropyl Alcohol	1%	67-63-0
Amyl Acetate	1%	000-00
Butyl Alcohol	0.98%	71-36-3
Cellulose Acetate Butyrate	0.8%	9004-36-8
Formaldehyde	0.5%	50-00-0
Stearalkonium Hectorite	0.3%	1302-78-9
Benzophenone-1	0.2%	119-61-9
Calcium Pantothenate	0.05%	137-08-6
Hydrolyzed Wheat Protein	0.04%	68238-35
CI 77891 (Titanium Dioxide)	0.02%	13463-67-7
CI 60725 (Violet 2)	0.01%	81-48-1



0 = MINIMAL,
1 = SLIGHT,
2 = MODERATE,
3 = SERIOUS,
4 = SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.

PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash clothing prior to re-use.

PRODUCT INGESTED: Do not induce vomiting. Seek medical attention.

PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.

In all the above cases seek medical attention.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.

FIRE AND EXPLOSION DATA: FLASH POINT: 24deg. F AUTO IGNITION: N/D

EXPLOSION LIMITS (VOLUME % IN AIR): N/D LOWER: UPPER:

EXPLOSION HAZARDS: When Heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.

SPECIAL PROCEDURES: Wear self-contained breathing apparatus and protective fire-fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate & evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material pick-up is complete. Prevent wash-up from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:

UNSUITABLE: Low density polyethylene class

SUITABLE: Mild steel, glass bottles

STORAGE PRECAUTIONS: Store closed in the original container. Store in cool dry place.

HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

Original Nail Envy

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash, and safety showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous pH: N/A BOILING POINT: 171-640 deg. F. VISCOSITY: > 1200cps.
ODOR: Ester (fruity) odor BULK DENSITY: approx. 0.96 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke.

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury.

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.

BY INGESTION: Gastro-intestinal distress. Consult physician.

BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Butyl Acetate	150 ppm
Ethyl Acetate	400 ppm
Nitrocellulose	N/D
Tosylamide / Formaldehyde Resin	N/D
Isopropyl Alcohol	400 ppm
Dibutyl Phthalate, Hydrated Silica	6mg/m3
Butyl Alcohol	50
Toluene	100
Formaldehyde	1
Amyl Acetate	100

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. Do not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol, Annex Symbol

SAFETY PHRASE: Keep away from heat or flame. Keep out of reach of children. Protect cuticles with grease or oil. Contains Formaldehyde

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA

1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: Matte Nail Envy

PRODUCT CODE: NTT82, NTT85

DESCRIPTION: Viscous Liquid

INTENDED USES: Nail Coating / Treatment

MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA


DATE: 5/19/91

TELEPHONE No. (818) 759-2400

FAX No. (818) 759-5770 REVISED DATE: 9/16/03

2. COMPOSITION

INGREDIENTS	CONTENTS	CAS
Butyl Acetate	36%	123-86-4
Ethyl Acetate	20%	141-78-6
Toluene	16%	108-88-3
Nitrocellulose	10%	9004-70-0
Tosylamide/Formaldehyde Resin	9%	25035-71-6
Dibutyl Phthalate	3%	84-74-2
Talc	3%	14807-96-6
Isopropyl Alcohol	1%	67-63-0
Butyl Alcohol	0.98%	71-36-3
Formaldehyde	0.5%	50-00-0
Hydrated Silica	0.2%	1343-98-2
Stearalkonium Hectorite	0.1%	1302-78-9
Camphor	0.1%	76-22-2
Calcium Pantothenate	0.05%	137-08-6
Hydrolyzed Wheat Protein	0.04%	68238-35
CI 60725 (Violet 2)	0.01%	81-48-1



0 = MINIMAL,
1 = SLIGHT,
2 = MODERATE,
3 = SERIOUS,
4 = SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.

PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash contaminated clothing prior to re-use.

PRODUCT INGESTED: Do not induce vomiting. Seek medical attention.

PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.

In all the above cases seek medical attention.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.

FIRE AND EXPLOSION DATA: FLASH POINT: 24 deg. F AUTO IGNITION: N/D

EXPLOSION LIMITS (VOLUME % IN AIR): N/D LOWER: UPPER:

EXPLOSION HAZARDS: When Heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.

SPECIAL PROCEDURES: Wear self-contained breathing apparatus and protective fire-fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate and evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material pick-up is complete. Prevent washings from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:

UNSUITABLE: Low density polyethylene class

SUITABLE: Mild steel, glass bottles

STORAGE PRECAUTIONS: Store closed in the original container. Store in a cool dry place.

HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

Matte Nail Envy

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash, and safety showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous liquid. pH: N/A BOILING POINT: N/A VISCOSITY: > 1200cps.
ODOR: Ester (fruity) odor BULK DENSITY: approx. 0.96 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke.

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury.

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.

BY INGESTION: Gastro-intestinal distress. Consult physician.

BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Butyl Acetate	150 ppm
Ethyl Acetate	400 ppm
Nitrocellulose	N/D
Tosylamide / Formaldehyde Resin	N/D
Isopropyl Alcohol	400 ppm
Camphor	2 ppm
Dibutyl Phthalate, Hydrated Silica	6mg/m ³
Butyl Alcohol	50
Toluene	100
Formaldehyde	1
Talc	2mg/m ³

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. Do not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol, Annex Symbol

SAFETY PHRASE: Keep away from heat or flame. Keep out of reach of children. Protect cuticles with grease or oil. Contains Formaldehyde

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA

1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: Nail Envy Soft & Thin

PRODUCT CODE: NTT111, NTT116

DESCRIPTION: Viscous Liquid

INTENDED USES: Nail Coating/Treatment

MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA


DATE: 05/01/02

TELEPHONE No. (818) 759-2400

FAX No. (818) 759-5770 REVISED DATE: 9/16/03

2. COMPOSITION

INGREDIENTS	CONTENTS	CAS
Ethyl Acetate	35%	141-78-6
Butyl Acetate	27.5%	123-86-4
Nitocellulose	10%	9004-70-0
SD Alcohol - 40B	10%	64-17-5
Dibutyl Phthalate	3%	84-74-2
Isopropyl Alcohol	3%	67-63-0
Heptane	3%	142-82-5
Tosylamide Epoxy Resin	3%	
Acrylates Copolymer	3%	25035-69-2
Sucrose Acetate Isobutyrate	2%	126-13-6
Etocrylene	0.1%	5232-99-5
Formaldehyde	0.1%	50-00-0
Calcium Pantothenate	0.1%	137-08-6
Hydrolyzed Wheat Protein	0.1%	70084-87-6
Maris Sal (Sea Salt)	0.1%	
CI 60725 (Violet #2)	0.001%	81-48-1



0 = MINIMAL,
1 = SLIGHT,
2 = MODERATE,
3 = SERIOUS,
4 = SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.

PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash contaminated clothing prior to re-use.

PRODUCT INGESTED: Do not induce vomiting. Seek medical attention.

PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.

In all the above cases seek medical attention.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.

FIRE AND EXPLOSION DATA: FLASH POINT: 24 deg. F AUTO IGNITION: N/D

EXPLOSION LIMITS (VOLUME % IN AIR): N/D LOWER: UPPER:

EXPLOSION HAZARDS: When Heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.

SPECIAL PROCEDURES: Wear Self-contained breathing apparatus and protective fire-fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate and evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material pick-up is complete. Prevent wash-up from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:

UNSUITABLE: Low density polyethylene class SUITABLE: Mild steel, glass bottles

STORAGE PRECAUTIONS: Store closed in the original container. Store in a cool dry place.

HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

Nail Envy Soft & Thin

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash, and safety showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous pH: N/A BOILING POINT: N/A VISCOSITY: > 1200cps.
ODOR: Ester (fruity) odor BULK DENSITY: approx. 0.96 g/mL SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke.

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury.

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.

BY INGESTION: Gastro-intestinal distress. Consult physician.

BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Butyl Acetate	150 ppm
Ethyl Acetate	400 ppm
Nitrocellulose	N/D
SD Alcohol - 40B	1000 ppm
Isopropyl Alcohol	400 ppm
Camphor	2 ppm
Dibutyl Phthalate,	5mg/m ³
Formaldehyde	1 ppm
Heptane	400 ppm

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. Do not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol, Annex Symbol

SAFETY PHRASE: Keep away from heat or flame. Keep out of reach of children. Protect cuticles with grease or oil. Contains Formaldehyde.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA

1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: Nail Envy Sensitive & Peeling

PRODUCT CODE: NT T121 - NT T126

DESCRIPTION: Viscous Liquid

INTENDED USES: Nail Coating / Treatment

MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA


DATE: 05/01/02

TELEPHONE No. (818) 759-2400

FAX No. (818) 759-5770 REVISED DATE: 9/16/03

2. COMPOSITION

INGREDIENTS	CONTENTS	CAS
Ethyl Acetate	35%	141-78-6
Butyl Acetate	16%	123-86-4
Nitrocellulose	10%	9004-70-0
SD Alcohol - 40B	8.3%	64-17-5
Sucrose Acetate Isobutyrate	7%	126-13-6
Ethyl Tosylamide	6%	80-39-7
Isopropyl Alcohol	6%	67-63-0
Adipic Acid / Neopentyl Glycol/		
Trimellitic Anhydride Copolymer	5%	28407-73-0
Styrene Acrylates Copolymer	3%	9010-92-8
Tosylamide Epoxy Resin	3%	
Etoacrylene	0.1%	5232-99-5
Dimethicone	0.1%	9006-65-9
Kukui (Aleurites Moluccana) Nut Oil	0.1%	8015-80-3
Ascorbic Acid	0.1%	50-81-7
Tocopheryl Acetate (Vitamin E Acetate)	0.1%	7695-91-2
Aloe Barbadensis (Aloe Vera) Extract	0.1%	85507-69-3
Hydrolyzed Wheat Protein	0.1%	70084-87-6
CI 60725 (Violet #2)	0.001%	81-48-1



0 = MINIMAL,
1 = SLIGHT,
2 = MODERATE,
3 = SERIOUS,
4 = SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.

PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash contaminated clothing prior to re-use.

PRODUCT INGESTED: Do not induce vomiting. Seek medical attention.

PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.

In all the above cases seek medical attention.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.

FIRE AND EXPLOSION DATA: FLASH POINT: 24deg. F AUTO IGNITION: N/D

EXPLOSION LIMITS (VOLUME % IN AIR): N/D LOWER: UPPER:

EXPLOSION HAZARDS: When Heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.

SPECIAL PROCEDURES: Wear self-contained breathing apparatus and protective fire-fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate and evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material pickup is complete. Prevent washings from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:

UNSUITABLE: Low density polyethylene class SUITABLE: Mild steel, glass bottles

STORAGE PRECAUTIONS: Store closed in the original container. Store in cool dry place.

HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

Nail Envy Sensitive & Peeling

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash, safety showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous pH: N/A BOILING POINT: N/A VISCOSITY: > 1200cps.
ODOR: Ester (fruity) odor BULK DENSITY: approx. 0.96 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke.

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury.

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.

BY INGESTION: Gastro-intestinal distress. Consult physician.

BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Butyl Acetate	150 ppm
Ethyl Acetate	400 ppm
Nitrocellulose	N/D
Ascorbic Acid	N/D
Isopropyl Alcohol	400 ppm
Dibutyl Phthalate	5mg/m ³
SD Alcohol - 40B	1000 ppm

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. Do not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol, Annex Symbol

SAFETY PHRASE: Keep away from heat or flame. Keep out of reach of children.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA

1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: Nail Envy Dry & Brittle

PRODUCT CODE: NT T131- NT T136

DESCRIPTION: Viscous Liquid

INTENDED USES: Nail Coating / Treatment

MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA


DATE: 05/01/02

TELEPHONE No. (818) 759-2400

FAX No. (818) 759-5770 REVISED DATE: 9/16/03

2. COMPOSITION

INGREDIENTS	CONTENTS	CAS
SD Alcohol - 40B	31%	64-17-5
Toluene	19%	108-88-3
Butyl Acetate	12%	123-86-4
Ethyl Acetate	10%	141-78-6
Nitrocellulose	9%	9004-70-0
Tosylamide/Formaldehyde Resin	9%	25035-71-6
Polyvinyl Butyral	3%	63148-65-2
Dibutyl Phthalate	3%	84-74-2
Isopropyl Alcohol	2.4%	67-63-0
Aqua (Water)	0.5%	7732-18-5
Formaldehyde	0.3%	50-00-0
Aloe Barbadensis (Aloe Vera) Extract	0.3%	85507-69-3
Etocrylene	0.1%	5232-99-5
Saccharide Isomerate	0.1%	
Ascorbic Acid	0.1%	50-81-7
Tocopheryl Acetate	0.1%	7695-91-2
Hydrolyzed Wheat Protein	0.1%	70084-87-6
CI 60725 (Violet #2)	0.001%	81-48-1



0 = MINIMAL,
1 = SLIGHT,
2 = MODERATE,
3 = SERIOUS,
4 = SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.

PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash clothes prior to re-use.

PRODUCT INGESTED: Do not induce vomiting. Seek medical attention.

PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.

In all the above cases Seek Medical Attention.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.

FIRE AND EXPLOSION DATA: FLASH POINT: 24deg. F AUTO IGNITION: N/D

EXPLOSION LIMITS (VOLUME % IN AIR): N/D LOWER: UPPER:

EXPLOSION HAZARDS: When Heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.

SPECIAL PROCEDURES: Wear Self-contained breathing apparatus and protective fire-fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate and evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material pick-up is complete. Prevent washings from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:

UNSUITABLE: Low density polyethylene class

SUITABLE: Mild steel, glass bottles

STORAGE PRECAUTIONS: Store closed in the original container. Store in cool dry place.

HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

Nail Envy Dry & Brittle

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash facility, & safety showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous pH: N/A BOILING POINT: N/A VISCOSITY: > 1200cps.
ODOR: Ester (fruity) odor BULK DENSITY: approx. 0.96 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke.

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury.

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.

BY INGESTION: Gastro-intestinal distress. Consult physician.

BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Butyl Acetate	150 ppm
Ethyl Acetate	400 ppm
Nitrocellulose	N/D
Tosylamide/ Formaldehyde Resin	N/D
Isopropyl Alcohol	400 ppm
Ascorbic Acid	N/D
Dibutyl Phthalate,	5mg/m ³
Formaldehyde	1
SD Alcohol - 40B	1000 ppm

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. Do not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol, Annex Symbol

SAFETY PHRASE: Keep away from heat or flame. Keep out of reach of children. Protect cuticles with grease or oil. Contains Formaldehyde.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA

1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: Nicole Base Coat Plus

PRODUCT CODE: NI 098

DESCRIPTION: Nail Lacquer

INTENDED USES: Nail Coating

MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA


DATE: 6-11-98

TELEPHONE No. (818) 759-2400

FAX No. (818) 759-5770 REVISED DATE: 9/16/03

2. COMPOSITION

<u>INGREDIENTS</u>	<u>CONTENTS</u>	<u>CAS</u>
Toluene	20.0%	108-88-3
Alcohol Denatured (SD Alcohol 40B)	20.0%	8024-45-1
Butyl Acetate	15.0%	123-86-4
Nitrocellulose	9.0%	9004-70-0
Ethyl Acetate	9.0%	141-78-6
Tosylamide/Epoxy Resin	8.5%	---
Polyvinyl Butyral	5.0%	63148-65-2
Isopropyl Alcohol	5.0%	67-63-0
Dibutyl Phthalate	4.0%	84-74-2
Etocrylene	2.0%	5232-99-5
Acrylates Copolymer	1.0%	---
Dimethiconol	0.9%	31692-79-2
Mercaptopropionic Acid	0.5%	79-42-5
CI 60725 (D&C Violet #2)	0.1%	81-48-1



0 = MINIMAL,
1=SLIGHT,
2=MODERATE,
3=SERIOUS,
4=SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.

PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash clothing prior to re-use.

PRODUCT INGESTED: Do not induce vomiting. Consult physician.

PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.

IN ALL THE ABOVE CASES, SEEK MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.

FIRE AND EXPLOSION DATA: FLASH POINT: 24 deg. F.

AUTO IGNITION: N/D

EXPLOSION LIMITS (VOLUME % IN AIR): N/D

LOWER: UPPER:

EXPLOSION HAZARDS: When heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.

SPECIAL PROCEDURES: Wear self-contained breathing apparatus and protective fire-fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate and evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material pick-up is complete. Prevent washings from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:

UNSUITABLE: Low density polyethylene class

SUITABLE: Mild steel, glass bottles

STORAGE PRECAUTIONS: Store closed in the original container. Store in a cool dry place.

HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

Nicole Base Coat Plus

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash facility, and safety showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous pH: N/A BOILING POINT: 171 to 640 deg F. VISCOSITY: >1200 cps.
ODOR: Ester (fruity) odor BULK DENSITY: 0.9998-1.0008 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.

BY INGESTION: Gastro-intestinal distress. Consult physician.

BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Toluene	200
Alcohol Denatured (SD Alcohol 40B)	1000
Butyl Acetate	150
Nitrocellulose	NE
Ethyl Acetate	400
Isopropyl Alcohol	400
Dibutyl Phthalate	6mg/m ³

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. Do not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol

SAFETY PHRASE: Keep away from heat or open flame.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA

1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: Nicole Top Coat Plus

PRODUCT CODE: NI091

DESCRIPTION: Nail Lacquer

INTENDED USES: Nail Coating

MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA


DATE: 8/11/98

TELEPHONE No. (818) 759-2400

FAX No. (818) 759-5770 REVISED DATE: 9/16/03

2. COMPOSITION

INGREDIENTS	CONTENTS	CAS
Ethyl Acetate	20.0%	141-78-6
Toluene	20.0%	108-88-3
Butyl Acetate	15.0%	123-86-4
Isopropyl Alcohol	9.9%	67-63-0
Cellulose Acetate Butyrate	9.9%	9004-36-8
Acrylates Copolymer	9.0%	---
Sucrose Benzoate	7.0%	12738-64-6
Triphenyl Phosphate	6.2%	115-86-6
Benzophenone-1	1.0%	131-56-6
Etocrylene	1.0%	5235-99-5
CI 60725 (Violet 2)	1.0%	81-48-1



0 = MINIMAL,
1=SLIGHT,
2=MODERATE,
3=SERIOUS,
4=SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.

PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash clothing prior to re-use.

PRODUCT INGESTED: Do not induce vomiting. Consult physician.

PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.

IN ALL THE ABOVE CASES, SEEK MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.

FIRE AND EXPLOSION DATA: FLASH POINT: 24 deg. F. AUTO IGNITION: N/D

EXPLOSION LIMITS (VOLUME % IN AIR): N/D LOWER: UPPER:

EXPLOSION HAZARDS: When heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.

SPECIAL PROCEDURES: Wear self-contained breathing apparatus and protective fire-fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate and evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material clean-up complete. Prevent washings from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:

UNSUITABLE: Low density polyethylene class

SUITABLE: Mild steel, glass bottles

STORAGE PRECAUTIONS: Store closed in the original container. Store in a cool dry place.

HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

Nicole Top Coat Plus

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash facility, and safety showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous pH: N/A BOILING POINT: 171-660 deg F VISCOSITY: >1200 cps.
ODOR: Ester (fruity) odor BULK DENSITY: 0.9998-1.0008 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable
INCOMPATIBILITY: Acids, Alkalis, Peroxides
HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury
ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.
BY INGESTION: Gastro-intestinal distress. Consult physician.
BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Ethyl Acetate	400
Toluene	200
Butyl Acetate	150
Isopropyl Alcohol	400

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. So not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3
UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol SAFETY PHRASE: Keep away from heat and open flame.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA

1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: OPI Nail Strengtheners

PRODUCT CODE: NTT60

DESCRIPTION: Viscous Liquid

INTENDED USES: Nail Coating

MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA


DATE: 8/11/98

TELEPHONE No. (818) 759-2400

FAX No. (818) 759-5770 REVISED DATE: 9/16/03

2. COMPOSITION

<u>INGREDIENTS</u>	<u>CONTENTS</u>	<u>CAS</u>
Toluene	36%	108-88-3
Butyl Acetate	28%	123-86-4
Isopropyl Alcohol	12%	9004-36-8
Nitrocellulose	7%	9004-70-0
Ethyl Acetate	6.5%	141-78-6
Butyl Alcohol	5%	75-65-0
Tosylamide/Formaldehyde Resin	3%	25035-71-6
Dibutyl Phthalate	1.7%	84-74-2
Camphor	0.6%	76-22-2
Benzophenone-1	0.1%	131-55-6
CI 60725 (Violet 2)	0.1%	81-48-1



0 = MINIMAL,
1=SLIGHT,
2=MODERATE,
3=SERIOUS,
4=SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.

PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash contaminated clothing prior to re-use.

PRODUCT INGESTED: Do not induce vomiting. Seek medical attention.

PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.

IN ALL THE ABOVE CASES, SEEK MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.

FIRE AND EXPLOSION DATA: FLASH POINT: 30 deg. F.

AUTO IGNITION: N/D

EXPLOSION LIMITS (VOLUME % IN AIR): N/D

LOWER: UPPER:

EXPLOSION HAZARDS: When heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.

SPECIAL PROCEDURES: Wear self-contained breathing apparatus and protective fire-fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate and evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material pick-up is complete. Prevent washings from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:

UNSUITABLE: Low density polyethylene class

SUITABLE: Mild steel, glass bottles

STORAGE PRECAUTIONS: Store closed in the original container. Store in a cool dry place.

HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

OPI Nail Strengthenener

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash facility, & safety showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous pH: N/A BOILING POINT: 171-660 deg F VISCOSITY: >1200 cps.
ODOR: Ester (fruity) odor BULK DENSITY: 0.9998-1.0008 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.

BY INGESTION: Gastro-intestinal distress. Consult physician.

BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Ethyl Acetate	400
Butyl Acetate	150
Toluene	200
Butyl Acetate	150
Isopropyl Alcohol	400
Dibutyl Phthalate	5 mg/m ³
Camphor	2 mg/m ³

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. Do not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol

SAFETY PHRASE: Keep away from heat or flame.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.


MATERIAL SAFETY DATA SHEET - USA

1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: OPI Natural Nail Base Coat PRODUCT CODE: NTT10
DESCRIPTION: Viscous Liquid INTENDED USES: Nail Coating
MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA DATE: 8/11/98
TELEPHONE No. (818) 759-2400 FAX No. (818) 759-5770 REVISED DATE: 9/16/03

2. COMPOSITION

<u>INGREDIENTS</u>	<u>CONTENTS</u>	<u>CAS</u>
Butyl Acetate	30%	123-86-4
Toluene	25%	108-88-3
Ethyl Acetate	10%	141-78-8
Isopropyl Alcohol	10%	67-63-0
Tosylamide/Formaldehyde Resin	10%	25035-71-6
Polyvinyl Butyral	5%	63148-65-2
Nitrocellulose	5%	9004-70-0
Camphor	2%	76-22-2
Benzophenone-1	1%	131-56-6
Isostearoyl Hydrolyzed Collagen	1%	111174-63-1
Keratin Amino Acids	0.9%	68238-35-7
CI 17200 (Red 33)	0.1%	3567-66-6



0 = MINIMAL,
1 = SLIGHT,
2 = MODERATE,
3 = SERIOUS,
4 = SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.

PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash contaminated clothing prior to re-use.

PRODUCT INGESTED: Do not induce vomiting. Consult physician.

PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.

IN ALL THE ABOVE CASES, SEEK MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.

FIRE AND EXPLOSION DATA: FLASH POINT: 30 deg. F. AUTO IGNITION: N/D

EXPLOSION LIMITS (VOLUME % IN AIR): N/D LOWER: UPPER:

EXPLOSION HAZARDS: When heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.

SPECIAL PROCEDURES: Wear self-contained breathing apparatus and protective firefighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate and evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material pick-up is complete. Prevent washings from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:

UNSUITABLE: Low density polyethylene class SUITABLE: Mild steel, glass bottles

STORAGE PRECAUTIONS: Store closed in the original container. Store in a cool dry place.

HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

OPI Natural Nail Base Coat

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash facility, and safety showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous pH: N/A BOILING POINT: 171-660 deg F VISCOSITY: >1200 cps.
ODOR: Ester (fruity) odor BULK DENSITY: 0.9998-1.0008 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.

BY INGESTION: Gastro-intestinal distress. Consult physician.

BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Ethyl Acetate	400
Toluene	200
Butyl Acetate	150
Isopropyl Alcohol	400

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. Do not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol

SAFETY PHRASE: Keep away from heat or flame.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA


1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: OPI Ridge Filler
DESCRIPTION: Nail Lacquer
MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA
TELEPHONE No. (818) 759-2400

PRODUCT CODE: NTT40, NTT44
INTENDED USES: Nail Coating
DATE: 8/11/98
FAX No. (818) 759-5770
REVISED DATE: 9/16/03

2. COMPOSITION

INGREDIENTS	CONTENTS	CAS
Ethyl Acetate	36%	141-78-6
Butyl Acetate	26%	123-86-4
Toluene	16%	108-88-3
Nitrocellulose	6.5%	9004-70-0
Tosylamide/Formaldehyde Resin	5%	25035-71-6
Dibutyl Phthalate	3%	84-74-2
Isopropyl Alcohol	1.7%	9004-36-8
Hydrated Silica	1.6%	1343-98-2
Camphor	1.1%	76-22-2
Stearalkonium Hectorite/Bentonite	1%	1302-78-9
Benzophenone-1	1%	131-56-5
Silk (Serica)	1%	9009-99-8
CI 77891 (Titanium Dioxide)	0.1%	1317-70-0



0 = MINIMAL,
1=SLIGHT,
2=MODERATE,
3=SERIOUS,
4=SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.

PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash contaminated clothing prior to re-use.

PRODUCT INGESTED: Do not induce vomiting. Consult physician.

PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.

IN ALL THE ABOVE CASES, SEEK MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.

FIRE AND EXPLOSION DATA: FLASH POINT: 30 deg. F. AUTO IGNITION: N/D

EXPLOSION LIMITS (VOLUME % IN AIR): N/D LOWER: UPPER:

EXPLOSION HAZARDS: When heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.

SPECIAL PROCEDURES: Wear self-contained breathing apparatus and protective fire-fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate and evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material pick-up is complete. Prevent washings from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:

UNSUITABLE: Low density polyethylene class SUITABLE: Mild steel, glass bottles

STORAGE PRECAUTIONS: Store closed in the original container. Store in a cool, dry place.

HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

OPI Ridge Filler

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash facility, and safety showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous pH: N/A BOILING POINT: 171-660 deg F VISCOSITY: >1200 cps.
ODOR: Ester (fruity) odor BULK DENSITY: 0.9998-1.0008 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable
INCOMPATIBILITY: Acids, Alkalis, Peroxides
HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury
ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.
BY INGESTION: Gastro-intestinal distress. Consult physician.
BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

Table with 2 columns: OCCUPATIONAL EXPOSURE LIMIT, EXPOSURE LIMIT TWA (IN PPM). Rows include Ethyl Acetate (400), Butyl Acetate (150), Toluene (200), Dibutyl Phthalate (5 mg/m³), Isopropyl Alcohol (400), and Camphor (2 mg/m³).

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. Do not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3
UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol SAFETY PHRASE: Keep away from heat or flame.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA


1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: Pawlish Nail Polish
DESCRIPTION: Viscous Liquid
MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA
TELEPHONE No. (818) 759-2400

PRODUCT CODE: DP101 to DP106
INTENDED USES: Nail Coating
DATE: 5/16/03
FAX No. (818) 759-5770
REVISED DATE: 9/16/03

2. COMPOSITION

INGREDIENTS	CONTENTS	CAS
Butyl Acetate	28.0%	123-86-4
Ethyl Acetate	17.0%	141-78-6
Toluene	16.0%	108-88-3
Nitrocellulose	16.0%	9004-70-0
Tosylamide/Formaldehyde Resin	12.5%	25035-71-6
Isopropyl Alcohol	3.0%	67-63-0
Trimethyl Pentanyl Diisobutyrate	2.0%	006846-50-0
Triphenyl Phosphate	2.0%	115-86-6
Camphor	1.0%	76-22-2
Stearalkonium Bentonite	1.0%	71011-24-0
Stearalkonium Hectorite	0.6%	98491-33-5
Benzophenone-1	0.5%	131-56-6
May also contain: [+/- Mica, Polyethylene Terephthalate, CI 77891, CI 77163, CI 77491 CI 77499, CI 77510, CI 19140, CI 15850, CI15880, CI 77000	0.4%	12001-26-2, 25038-59-9, 13463-67-7 7787-59-9, 1309-37-1, 1317-61-9 14038-43-8, 1934-21-0, 5281-04-9, 6417-83-0, 7429-90-5, 14038-43-8, 5858-81-1



0 = MINIMAL,
1 = SLIGHT,
2 = MODERATE,
3 = SERIOUS,
4 = SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes; seek medical attention.
PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash contaminated clothing before reuse.
PRODUCT INGESTED: Do not induce vomiting. Seek medical attention.
PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.
IN ALL THE ABOVE CASES, SEEK MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon dioxide, dry chemical, foam.
FIRE AND EXPLOSION DATA: FLASH POINT: 24 deg. F. AUTO IGNITION: N/D
EXPLOSION LIMITS (VOLUME % IN AIR): N/D LOWER: UPPER:
EXPLOSION HAZARDS: When heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.
SPECIAL PROCEDURES: Wear self-contained breathing apparatus and protective fire-fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate area & evacuate. Remove sources of ignition. Confine and remove with inert absorbent. Wash spill site after material pick up is complete.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:
UNSUITABLE: Low density polyethylene class SUITABLE: Mild steel, glass bottles
STORAGE PRECAUTIONS: Store closed in the original container. Store in cool dry place.
HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask and avoid breathing vapors.

Pawlish Nail Polish

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash facility & security showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous pH: N/A BOILING POINT: 171 to 640 deg F. VISCOSITY: >1200 cps.
ODOR: Ester (fruity) odor BULK DENSITY: 0.9998-1.0008 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury. May cause ocular damage.

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use immediately.

BY INGESTION: Gastro-intestinal distress. Consult physician.

BY INHALATION: May cause nose and throat irritation. Discontinue use immediately.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Butyl Acetate	150
Ethyl Acetate	400
Toluene	200
Nitrocellulose	N/E
Tosylamide/Formaldehyde Resin	N/E
Isopropyl Alcohol	400
Trimethyl Pentanyl Diisobutyrate	N/E
Triphenyl Phosphate	3mg/m3
Camphor	2

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. So not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol

SAFETY PHRASE: Keep away from heat or flame.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA


1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: Chip Skip
DESCRIPTION: Nail Coating
MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA
TELEPHONE No. (818) 759-2400

PRODUCT CODE: NT100 & NT106
INTENDED USES: Nail Coating
DATE: 02/15/02
FAX No. (818) 759-5770
REVISED DATE: 9/16/03

2. COMPOSITION

<u>INGREDIENTS</u>	<u>CONTENTS</u>	<u>CAS</u>
Ethyl Acetate	99.8%	141-78-6
Ammonium Hydroxide	0.2%	1336-21-6



0 = MINIMAL,
1 = SLIGHT,
2 = MODERATE,
3 = SERIOUS,
4 = SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressant.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes.
PRODUCT ON SKIN: Rinse thoroughly with soap & water. Remove contaminated clothing & wash with soap & water.
PRODUCT INGESTED: Do not induce vomiting. Consult a physician.
PRODUCT INHALED: Remove patient to fresh air. Keep patient warm & at rest. Administer oxygen if required.
In all the above cases seek medical attention.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon Dioxide, Dry chemical, Foam.
FIRE AND EXPLOSION DATA: FLASH POINT: 24 deg. F
EXPLOSION LIMITS (VOLUME % IN AIR): LOWER: 2.2% UPPER: 11.4%
EXPLOSION HAZARDS: When heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.
SPECIAL PROCEDURES: Wear self-contained breathing apparatus and protective fire-fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate and evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Dispose of all wastes in accordance with Federal, State, and Local Regulations. Wash spill site after material pick-up is complete. Prevent washings from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS: Low density polyethylene class
UNSUITABLE: SUITABLE: Mild steel, glass bottles
STORAGE PRECAUTIONS: Store closed in the original container. Store in cool, dry place.
HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

Chip Skip

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene Gloves, Eye Protection, Splash Guards, Side Shields (Chemical Goggles). Local exhaust, eye wash facility, and safety showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear liquid pH: N/A BOILING POINT: 77.0-77.2 deg F VISCOSITY: Thin Liquid
ODOR: Characteristic, To match standard BULK DENSITY: approx. 0.895g/mL SOLUBILITY: Slightly miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Strong Oxidizing Agents, Mineral and organic acids.

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Ammonia, Carbon Monoxide, Carbon Dioxide

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury.

ON SKIN: Repeated and prolonged contact may cause drying of skin.

BY INGESTION: Gastro-intestinal distress. May cause headache, drowsiness & unconsciousness.

BY INHALATION: May cause nose, throat & lung irritation. High exposure may result in narcotic effect & headache.

ADDITIONAL MEDICAL INFORMATION

OCCUPATIONAL EXPOSURE LIMIT:

Ethyl Acetate

Ammonium Hydroxide

EXPOSURE LIMIT TWA (IN PPM)

400

25

12. ECOLOGICAL INFORMATION

Not Applicable to Preparations.

13. DISPOSAL CONSIDERATIONS

Do Not Allow Material To Contaminate Ground Water Systems. Incinerate absorbed material in Accordance With Federal, State, and Local Regulations. Do not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: UN1173 Class 3

UN PACKAGING GROUP: II

15. REGULATORY INFORMATION

LABELING INFORMATION: For Natural Nails

SAFETY PHRASE: Flammable symbol

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA


1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: OPI Top Coat
DESCRIPTION: Clear viscous liquid.
MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA
TELEPHONE No. (818) 759-2400

PRODUCT CODE: NTT30, NTT34
INTENDED USES: Nail Coating
DATE: 10/1/89
FAX No. (818) 759-5770 REVISED DATE: 9/16/03

2. COMPOSITION

INGREDIENTS	CONTENTS	CAS
Butyl Acetate	20.0%	123-86-4
Toluene	20.0%	108-88-3
Acrylate Copolymer	10.0%	---
Ethyl Acetate	10.0%	141-78-6
Dibutyl Phthalate	10.0%	84-74-2
Amyl Acetate	10.0%	628-63-7
Tosylamide/Formaldehyde Resin	6.0%	25035-71-6
Nitrocellulose	6.0%	9004-70-0
Cellulose Acetate Butyrate	3.0%	9004-36-8
Isopropyl Acetate	3.0%	108-21-4
Benzophenone-1	1.0%	131-56-6
CI 60725 (Violet 2)	1.0%	4480-13-6



0 = MINIMAL,
1=SLIGHT,
2=MODERATE,
3=SERIOUS,
4=SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressants.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes.
PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash clothing prior to re-use.
PRODUCT INGESTED: Do not induce vomiting. Seek medical attention.
PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.
IN ALL THE ABOVE CASES, SEEK MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon Dioxide, Dry Chemical, Foam.
FIRE AND EXPLOSION DATA: FLASH POINT: 30 deg F AUTO IGNITION: N/D
EXPLOSION LIMITS (VOLUME % IN AIR): N/D LOWER: UPPER:
EXPLOSION HAZARDS: When heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.
SPECIAL PROCEDURES: Wear self-contained breathing apparatus and protective fire-fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate and evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Dispose of all wastes in accordance with Federal, State, and Local Regulations. Wash spill site after material pick-up is complete. Prevent washings from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:
UNSUITABLE: Low density polyethylene class SUITABLE: Mild steel, glass bottles
STORAGE PRECAUTIONS: Store closed in the original container. Store in cool dry place.
HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

OPI Top Coat

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash facility & security showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous Liquid pH: N/A BOILING POINT: 171 to 640 deg F. VISCOSITY: >1200 cps.
ODOR: Ester (fruity) odor BULK DENSITY: 0.9998-1.0008 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury. May cause ocular damage.

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.

BY INGESTION: Gastro-intestinal distress. Consult physician.

BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

OCCUPATIONAL EXPOSURE LIMIT:

EXPOSURE LIMIT TWA (IN PPM)

Butyl Acetate	150
Toluene	200
Ethyl Acetate	400
Dibutyl Phthalate	5 mg/m ³
Isopropyl Acetate	250

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. Do not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol

SAFETY PHRASE: Keep away from heat or flame.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.

MATERIAL SAFETY DATA SHEET - USA

1. IDENTIFICATION OF PREPARATION AND COMPANY

PRODUCT NAME: Acrylic Nail Base Coat

PRODUCT CODE: NTT20, NTT24

DESCRIPTION: White viscous liquid.

INTENDED USES: Nail Coating.

MANUFACTURED BY: OPI PRODUCTS INC. 13034 SATICOY ST. N. HOLLYWOOD CA 91605/USA


DATE: 10/01/89

TELEPHONE No. (818) 759-2400

FAX No. (818) 759-5770 REVISED DATE: 9/16/03

2. COMPOSITION

INGREDIENTS	CONTENTS	CAS
Butyl Acetate	25.0%	123-86-4
Toluene	25.0%	108-88-3
Ethyl Acetate	14.0%	141-78-6
Isopropyl Alcohol	7.0%	67-63-0
Tosylamide/Formaldehyde Resin	7.0%	25035-71-6
Polyvinyl Butyral	7.0%	63148-65-2
Nitrocellulose	7.0%	9004-70-0
Camphor	3.0%	76-22-2
Hydrated Silica	2.0%	1343-98-2
Benzophenone-1	1.0%	131-56-6
Stearalkonium Hectorite	1.0%	N/A
CI 77891 (Titanium Dioxide)	0.5%	13463-67-7
Isostearoyl Hydrolyzed Collagen	0.5%	N/A



0 = MINIMAL,
1=SLIGHT,
2=MODERATE,
3=SERIOUS,
4=SEVERE

3. HAZARDS IDENTIFICATION

Irritant to skin and eyes, central nervous system depressants.

POISON CONTROL CENTER
CHEMTREC
1-800-424-9300

4. FIRST AID MEASURES

PRODUCT IN EYES: Flush with water for 15 minutes.

PRODUCT ON SKIN: Wash with soap & water. Remove contaminated clothing. Wash clothing prior to re-use.

PRODUCT INGESTED: Do not induce vomiting. Seek medical attention.

PRODUCT INHALED: Remove patient to fresh air. Keep patient warm and at rest. Administer oxygen, if necessary.

IN ALL THE ABOVE CASES, SEEK MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

FIRE EXTINGUISHING MATERIALS: Carbon Dioxide, Dry Chemical, Foam.

FIRE AND EXPLOSION DATA: FLASH POINT: 30 deg F AUTO IGNITION: N/D

EXPLOSION LIMITS (VOLUME % IN AIR): N/D LOWER: UPPER:

EXPLOSION HAZARDS: When heated above the flash point, emits flammable vapors which, when mixed with air, can burn or be explosive. Mists or sprays may be flammable at temperature below the flash point.

SPECIAL PROCEDURES: Wear self-contained breathing apparatus and protective fire-fighting clothing.

6. ACCIDENTAL RELEASE MEASURES

SPILLAGE: Ventilate and evacuate area, remove sources of ignition. Confine and remove with inert absorbent. Dispose of all wastes in accordance with Federal, State, and Local Regulations. Wash spill site after material pick-up is complete. Prevent washings from entering waterways.

7. HANDLING AND STORAGE

HANDLING AND STORAGE MATERIALS:

UNSUITABLE: Low density polyethylene class SUITABLE: Mild steel, glass bottles

STORAGE PRECAUTIONS: Store closed in the original container. Store in cool dry place.

HANDLING PRECAUTIONS: Avoid contact with eyes and skin. Wear mask, avoid breathing vapors.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Neoprene gloves. Eye protection splash guards, side shields (chemical goggles). Local exhaust, eye wash facility & security showers should be nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Viscous Liquid pH: N/A BOILING POINT: 171 to 640 deg F. VISCOSITY: >1200 cps.
ODOR: Ester (fruity) odor BULK DENSITY: 0.9998-1.0008 SOLUBILITY: Not miscible with water.

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Acids, Alkalis, Peroxides

HAZARDOUS DECOMPOSITION & COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrous oxides, smoke

11. TOXICOLOGICAL INFORMATION

IN EYES: May cause irritation or burning and eye injury. May cause ocular damage.

ON SKIN: Skin irritation with discomfort or dermatitis. Discontinue use if irritation occurs.

BY INGESTION: Gastro-intestinal distress. Consult physician.

BY INHALATION: May cause nose and throat irritation. Discontinue use if irritation occurs.

ADDITIONAL MEDICAL INFORMATION

<u>OCCUPATIONAL EXPOSURE LIMIT:</u>	<u>EXPOSURE LIMIT TWA (IN PPM)</u>
Butyl Acetate	150
Toluene	200
Ethyl Acetate	400
Isopropyl Alcohol	400
Camphor	2 mg/m ³
Titanium Dioxide	10 mg/m ³

12. ECOLOGICAL INFORMATION

Not applicable to preparations.

13. DISPOSAL CONSIDERATIONS

Do not allow material to contaminate ground water systems. Incinerate absorbed material in accordance with Federal, State, and Local regulations. Do not incinerate in closed containers.

14. TRANSPORT INFORMATION

UN NUMBER AND CLASSIFICATION: 1263 - Flammable liquid, Class 3

UN PACKAGING GROUP: Group II

15. REGULATORY INFORMATION

LABELING INFORMATION: Flame Symbol

SAFETY PHRASE: Keep away from heat or flame.

16. OTHER INFORMATION

NOTE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations.